

SECTION 2

Cladding



Araucaria Kiln Dried Chamfer Board 2.0

Hardwood Kiln Dried Chamfer Boards 2.1

Weatherboards 2.2

TILLING - WESTERN RED CEDAR CLADDING

Cladding

Tillings proprietary timber range consists of internal linings and mouldings that include species such as Oregon, Tasmanian Oak, Jarrah, Hemlock of course Western Red Cedar.

Tilling Timber is know for Western Red Cedar, and our range of external claddings includes Bevel Siding, Sawn timber, Dressed timber profiles, Shingles, Shades and Capping with a range of window components are created to meet designers needs.

NOW OPEN
Over 250 stores.




NOW OPEN
Over 250 stores.

FOR MORE INFORMATION, FREE CALL 1300 668 600 or visit www.tilling.com.au

KD CHAMFER and WEATHERBOARDS

Cladding

2.0 CLADDING PROFILES



2.0 ARAUCARIA KD CHAMFER BOARDS

COVER SIZE	Knotty LOSP	Finger Joint Clear LOSP	For Priming Add L/M
Unit = LM			
77 x 19	-	\$4.76	\$1.10
133 x 19	-	\$7.32	\$1.21
146 x 19	-	\$8.55	\$1.21
180 x 19	-	\$9.76	\$1.32
205 x 19	\$10.77	-	\$1.54
Shaded area indicates item stocked. Non-shaded products may incur a set up charge. Please refer your Finlayson representative.			

2.1 HARDWOOD KD CHAMFER BOARDS

COVER SIZE	Price
Unit = LM	
77 x 19	\$6.87
122 x 19	\$12.07
STANDARD GRADE ONLY	

For correct handling, storage and fixing instructions for treated pine cladding, please refer Timber Qld Technical Data Sheet No.3 on page 194 of this catalogue.

2.2 WEATHERBOARDS

SIZE	Description	Price
175 x 25 Sawn	Kiln Dried Knotty LOSP Araucaria Random	\$5.18
175 x 25 Sawn	Unseasoned Hardwood Random	\$8.01
136 x 21 Dressed and Rebated	Finger Joint LOSP Araucaria 5.4's	\$8.49
200 x 20 Sawn	Western Red Cedar Random	\$7.11
80 x 19 Dressed	Shiplap Finger Joint LOSP Araucaria 5.4's	\$4.53
Shaded area indicates item stocked. Non-shaded products may incur a set up charge. Please refer your Finlayson representative.		

NOTE: Chamfer sizes shown are actual cover widths of the boards. Weatherboards sizes shown are nominal sizes. All finger joint material 5.4m lengths. A minimum charge for priming may occur - please refer to your Finlayson representative.

NOTE: Knotty products are prone to knot bleed. Using an approved sealant of the knots will assist in delaying and reducing this bleed. This is the purchasers responsibility. Please refer Tech Data Sheet No. 3 at the back of this catalogue.