

SECTION 7

POSTS, STEPS, FASCIA & SILLS



POSTS, STEPS, FASCIA and SILLS

Step Material, Treads, Stringers and Risers

Hardaz Metal Stair Stringers

Fin's Facts about Verandah Stairs

Verandah Posts

EJ Pine Fascia and Jambs

Sills Hardwood

Magna Glulam Posts and Beams

Dressed KD Merbau

Timber Step Material, Treads, Stringers and Risers

7.1 Timber Step Material, Treads, Stringers and Risers

CODE	SIZE	DESCRIPTION	
RS3810	250 x 38	SAWN HARDWOOD F17 APPEARANCE 1.0M STEP TREAD	EA
RS3812	250 x 38	SAWN HARDWOOD F17 APPEARANCE 1.2M STEP TREAD	EA
RS5010	250 x 50	SAWN HARDWOOD F17 APPEARANCE 1.0M STEP TREAD	EA
RS5012	250 x 50	SAWN HARDWOOD F17 APPEARANCE 1.2M STEP TREAD	EA
RS5015	250 x 50	SAWN HARDWOOD F17 APPEARANCE 1.5M STEP TREAD	EA
RS5024	250 x 50	SAWN HARDWOOD F17 APPEARANCE 2.4M STEP TREAD	EA
RS5036	250 x 50	SAWN HARDWOOD F17 APPEARANCE 3.6M STEP TREAD	EA
RS5048	250 x 50	SAWN HARDWOOD F17 APPEARANCE 4.8M STEP TREAD	EA
LH4250038	250 x 38	SAWN HARDWOOD F17 ACQ H4 APP 4.8M - 6.0M	LM
LH4250050	250 x 50	SAWN HARDWOOD F17 ACQ H4 APP 4.8M - 6.0M	LM
H4250038	250 x 38	SAWN HARDWOOD F17 ACQ H4 APP to 4.5M	LM
H4M250050	250 x 50	SAWN HARDWOOD F17 ACQ H4 APP to 4.5M	LM
KS25004712	250 x 47	DAR SOLID KWILA Tread 1.2M	EA
KS25004715	250 x 47	DAR SOLID KWILA Tread 1.5M	EA
KS25004724	250 x 47	DAR SOLID KWILA Tread 2.4M	EA
KS25004736	250 x 47	DAR SOLID KWILA Tread 3.6M	EA
KS25004748	250 x 47	DAR SOLID KWILA Tread 4.8M	EA

Note: - F17 Appearance species unseasoned has high durability and low shrinkage.

- Kwila is seasoned and suitable for staining.

 Shaded area indicates stocked item.





AVAILABLE IN
2, 3, 4 OR 5
TREAD STEP


HARDAZ®



SUITABLE FOR
OUTDOOR

METAL STAIR STRINGERS

“Building the tradie in you.”



FEATURES:

- > Convenient and easy to install
- > Available off-the-shelf in 2 to 5 tread stringer sets
- > Hot-dip galvanised
- > Standard with 175mm rise
- > Rise is at an angle of 35 degrees
- > Designed to take a maximum tread width of 1000mm
- > To suit tread 250mm in depth

2 STEP



3 STEP



4 STEP



5 STEP



STOCK	DESCRIPTION
109664	Step Stringers HDG 2 Tread - Cast In
109671	Step Stringers HDG 3 Tread - Cast In
109688	Step Stringers HDG 4 Tread - Cast In
	Other Sizes up to 17 Tread

ANOTHER QUALITY
PRODUCT FROM



TRIO revive trieco ezyas TRIO craftsman

Fin's Facts about Verandah Stairs.



Verandahs are a way of life for every Queenslanders. Cool and inviting, they provide the perfect place to relax and enjoy our uniquely laidback lifestyle. There's nothing quite as welcoming as stepping up a set of traditional timber stairs onto a cool, shady verandah.

There are two main components in stairs. The treads (the part you stand on - or even better, according to our expert Fin, to sit on with a cool beer) are normally 250 x 38 or 250 x 50, while the stringers (the sides of the stairs) are 250 x 50. Most hardwood used for exterior stairs is called 'GOS' hardwood, which stands for Green Off Saw. This means it has not been kiln dried, so you should expect a small amount of movement as it dries out over the first six to twelve months.


Fin says it's important to use a durable hardwood like Iron Bark or Spotted Gum, which are homegrown and will last for a long time if properly cared for. These species also have minimal shrinkage factors. Other species such as Blackbutt have a high shrinkage factor and are not recommended by Finlayson's for this particular application.

For long-term durability, it's important to paint all parts of your stairs with a good oil-based primer before assembly - a minimum of one coat of primer on the faces and edges, but because the end grain will take up moisture more readily, Fin recommends at least two coats on the end grain, and says that the extra effort at this stage will pay off over the years.

Fin warns that it's also important to put ant capping under the bottom of stringers - not only to keep white ants out of your stairs, but also to stop them from entering your house's structure via the stringers.


At Finlayson's, we're here to help, and we'll be only too happy to advise you. Feel free to ask questions or discuss your particular stairs (or any other project you may be considering) with our friendly staff.

Whether you're renovating an older home, or building a new one in the traditional style - there are many advantages in belonging to Finlayson's Renovator's Club. As a member, you'll receive special deals on our products and services, as well as access to helpful workshops and seminars.



Remember - if you're looking for Brisbane's most authentic range of crafted traditional timber fittings, talk to us at Finlayson's.


With our long heritage, we possibly supplied the original material for your old Queenslanders - and today, we're still one of Australia's leading manufacturers of Colonial and Heritage timber products and suppliers of authentic renovation items.



7.2 Verandah Posts

PRODUCT	DESCRIPTION			UNIT
	100 x 100 Solid Kwila Verandah Posts 2.4, 2.7, 3.0, 3.6, 4.8			LM
	90 x 90 FJ Laminated Kwila Posts 2.4, 2.7, 3.0, 3.6, 4.8			LM
	116 x 116 FJ Laminated Kwila Posts			LM
	140 x 140 FJ Laminated Kwila Posts 2.4, 2.7, 3.0, 3.6			LM
	88 x 88 FJ Laminated Treated & Primed Pine Post 5.4's			LM
	90 x 90 Treated Pine Rougher Header Posts 3.6, 5.4m			LM
PRODUCT	DESCRIPTION	2400mm	2700mm	EACH
VP1	90 x 90 Turned Post LOSP Pine			EACH
VP1A	115 x 115 Turned Post LOSP Pine			EACH
VP2	90 x 90 Turned Post LOSP Pine			EACH
VP2A	115 x 115 Turned Post LOSP Pine			EACH
VP3	90 x 90 Turned Post LOSP Pine			EACH
VP3A	115 x 115 Turned Post LOSP Pine			EACH
VP4	90 x 90 Chamf/Fluted LOSP Pine			EACH
VP5	90 x 90 Chamf/Fluted LOSP Pine			EACH
VP6	90 x 90 Chamf/Fluted LOSP Pine			EACH
VP7	90 x 90 Chamf/Fluted LOSP Pine			EACH

 Shaded area indicates stocked item.



Fascia, Jambs and Sills

7.3 FJ Pine Fascia and Jambs* LOSP Treated

CODE	DESCRIPTION	SIZE	
FJDPTP140019	DAR, FJ Pine D/Jamb Treated Primed	140 x 19mm	
FJDPDJD140031	DAR 5.2m lengths, FJ Pine D/Jamb Treated Primed	140 x 31mm	
FJDPDJR140031	Rebated 5.2m lengths, FJ Pine D/Jamb Treated Primed	140 x 31mm	
FJDPDJD163031	DAR, FJ Pine D/Jamb Treated Primed	163 x 31mm	
FJDPDJR163031	Reb, FJ Pine D/Jamb Treated Primed	163 x 31mm	
F180	FJ Pine Fascia Treated Primed 4.8, 6.0, 7.2 m lengths	180 x 25mm	
F230	FJ Pine Fascia Treated Primed 4.8, 6.0, 7.2 m lengths	230 x 31mm	


7.4 Sills Hardwood

SIZE NOMINAL	DESCRIPTION	
150 x 38mm	French Lite Sill	
150 x 38mm	Plain Door Sill	
175 x 38mm	French Lite Sill	
175 x 38mm	Plain Door Sill	
160 x 36mm	Wideland Open Out Sill	
140 x 65mm	Casement Sill	
168 x 65mm	Casement Sill	



*Note: Jamb lengths 5.2m only. Fascia lengths 4.8m, 6.0m, and 7.2m.

 Shaded area indicates stocked item.


FASCIA



DOOR JAMBS



SILL PROFILE



HARDWOOD SILLS



Rebated Plain Door Sill



Rebated French Light Sill



Rebated French Light Sill



140mm Casement Sill



163mm Casement Sill

MAGNA GLULAM

HANDRAIL PRODUCTS	RATING	PACK SIZES	LENGTHS (m)
66 x 42 Bottom Rail	GL17	70pcs	2.4, 3.0, 5.4
66 x 42 DPR	GL17	70pcs	2.4, 3.0, 5.4
66 x 42 Rebated	GL17	70pcs	2.4, 3.0, 5.4
66 x 66 Ladies Waist (rebated & non-rebated)	GL17	40pcs	2.4, 3.0, 5.4
66 x 66 Bread Loaf (rebated & non-rebated)	GL17	40pcs	2.4, 3.0, 5.4

LAMINATED GL-17 HANDRAIL COMPONENTS



MAGNA GLULAM

POSTS	RATING	PACK SIZES	LENGTHS (m)
70 x 70	GL17	40pcs	5.4
90 x 90	GL17	24pcs	2.4, 2.7, 3.0, 3.6, 4.2, 4.8, 5.4, 6.0
100 x 100	GL17	21pcs	2.4, 2.7, 3.0, 3.6, 4.2, 4.8, 5.4, 6.0
115 x 115	GL17	12, 18pcs	2.4, 2.7, 3.0, 3.6, 4.2, 4.8, 5.4, 6.0
140 x 140	GL13	10pcs	2.4, 2.7, 3.0, 3.6, 4.2, 4.8, 5.4, 6.0
190 x 190	GL13	3, 4, 6pcs	2.4, 2.7, 3.0, 3.6, 4.2, 4.8, 5.4, 6.0

LAMINATED GL13 & GL17 POSTS

70 x 70
GL17



90 x 90
GL17

100 x 100
GL17

115 x 115
GL17

140 x 140
GL13

190 x 190
GL13



MAGNA GLULAM

BEAMS GL17 3.6 - 7.8	RATING	PACK SIZES	LENGTHS (m)
240 x 32	GL17	42pcs	5.4
290 x 32	GL17	30pcs	5.4
90 x 42	GL17	56pcs	3.6, 4.8, 5.4, 6.0
120 x 42	GL17	42pcs	4.8, 6.0
140 x 42	GL17	35pcs	3.6, 4.8, 5.4, 6.0
190 x 42	GL17	21pcs	2.4, 3.0, 3.6, 4.8, 5.4, 6.0
240 x 42	GL17	21pcs	3.6, 4.8, 5.4, 6.0
290 x 42	GL17	14pcs	5.4, 6.0
140 x 65	GL17	20pcs	3.6, 4.8, 6.0, 7.8
170 x 65	GL17	16pcs	3.6, 4.2, 4.8, 6.0
190 x 65	GL17	12pcs	3.6, 4.8, 6.0, 7.8
240 x 65	GL17	12pcs	3.6, 4.8, 6.0, 7.8
290 x 65	GL17	8pcs	3.6, 4.8, 6.0, 7.8
140 x 80	GL17	15pcs	3.6, 4.8, 6.0
190 x 80	GL17	9pcs	3.6, 4.8, 6.0
240 x 80	GL17	9pcs	3.6, 4.8, 6.0



Call 07 3868 1633 for more information

7.5 Dressed KD Merbau GL13 MAGNA POSTS

SIZE		LENGTHS (m)
70 x 70	Pencil Round	2.4, 2.7, 3.0, 3.6, 4.8, 5.4, 6.0
90 x 90	Pencil Round	2.4, 2.7, 3.0, 3.6, 4.8, 5.4, 6.0
100 x 100	Pencil Round	2.4, 2.7, 3.0, 3.6, 4.8, 5.4, 6.0
115 x 115	Pencil Round	2.4, 2.7, 3.0, 3.6, 4.8, 5.4, 6.0
140 x 140	Pencil Round	2.4, 2.7, 3.0, 3.6, 4.2, 4.8, 5.4, 6.0
190 x 190	Pencil Round	2.4, 2.7, 3.0, 3.6, 4.2, 4.8, 5.4, 6.0

7.6 Dressed KD Merbau GL17S MAGNA BEAM

SIZE	LENGTHS (m)
90 x 42	3.6, 4.8, 5.4, 6.0
140 x 42	3.6, 4.8, 5.4, 6.0
190 x 42	3.6, 4.8, 6.0
240 x 42	3.6, 4.8, 6.0

7.7 Dressed KD Merbau GL17S MAGNA BEAM

SIZE	LENGTHS (m)
290 x 42	3.6, 4.8, 5.4, 6.0, 7.2, 7.8
140 x 65	3.6, 4.8, 6.0, 7.8
170 x 65	3.6, 4.2, 4.8, 6.0
190 x 65	3.6, 4.8, 6.0, 7.8
240 x 65	3.6, 4.8, 6.0, 7.8
290 x 65	3.6, 4.8, 6.0, 7.8
140 x 80	3.6, 4.8, 6.0, 7.8
190 x 80	3.6, 4.8, 6.0, 7.8
240 x 80	3.6, 4.8, 6.0, 7.8
290 x 80	3.6, 4.8, 6.0, 7.8

PLEASE NOTE:

Pricing subject to confirmation due to fluctuating currency and market pricing.



TLB™

TLB TIMBER PTY LTD

TLB Timber specialises in supplying the Australian Timber Industry with high strength, low shrinkage, durable, fire and insect resistant timbers which can be used in both internal and external applications.

Our management and sales staff are seasoned operators with more than 80 years of combined experience with imported hardwoods and softwoods.



TLB Timber's extensive product range of tropical hardwoods includes Merbau, Kwila, Balau, Hopea, Rosewood and Plantation Mahogany, plus a full range of furniture and joinery timbers.

Our product range is designed to service a wide range of customers because we know that the timbers we carry are suitable for multiple uses.

www.tlbtimber.com.au